


# SCAN | POLE



## Creosoted Products:

1. Machine Round & Half Rounds  
Fence posts & rails
2. Cundy Peeled • Rounds
3. Sawn Timber Posts
4. Pyramid Top Gate Posts
5. Rails
6. Five Bar Field Gate

More information on fencing products: [sales.bbh@scanpole.com](mailto:sales.bbh@scanpole.com)  
Find a stockist closest to you: [www.scanpole.com/fencing/our-stockists/](http://www.scanpole.com/fencing/our-stockists/)



## 1. Machine Round & Half Rounds Fence Posts & Rails • Creosoted

| Product code  | Metric dimensions<br>Meters & mm | Imperial size | Description              | Pieces<br>per Pack |
|---------------|----------------------------------|---------------|--------------------------|--------------------|
| CR-T080165MRF | 1.65 M × 80 mm                   | 5'6" × 3"     | 4 Way Pointed Post       | 173                |
| CR-T080180MRF | 1.8 M × 80 mm                    | 6' × 3"       | 4 Way Pointed Post       | 173                |
| CR-T080210MRF | 2.1 M × 80 mm                    | 7' × 3"       | 4 Way Pointed Post       | 173                |
| CT-T090165MRF | 1.65 M × 90 mm                   | 5'6" × 3½"    | 4 Way Pointed Post       | 137                |
| CT-T090180MRF | 1.8 M × 90 mm                    | 6' × 3½"      | 4 Way Pointed Post       | 137                |
| CT-T090210MRF | 2.1 M × 90 mm                    | 7' × 3½"      | 4 Way Pointed Post       | 137                |
| CR-T100165MRF | 1.65 M × 100 mm                  | 5'6" × 4"     | 4 Way Pointed Post       | 114                |
| CR-T100180MRF | 1.8 M × 100 mm                   | 6' × 4"       | 4 Way Pointed Post       | 114                |
| CR-T100210MRF | 2.1 M × 100 mm                   | 7' × 4"       | 4 Way Pointed Post/Strut | 114                |
| CR-T100240MRF | 2.4 M × 100 mm                   | 8' × 4"       | 4 Way Pointed Post/Strut | 114                |
| CR-T100270MRF | 2.7 M × 100 mm                   | 9' × 4"       | 4 Way Pointed Post/Strut | 114                |
| CR-T150210MRF | 2.1 M × 150 mm                   | 7' × 6"       | 4 Way Pointed Strainer   | 39                 |
| CR-T150240MRF | 2.4 M × 150 mm                   | 8' × 6"       | 4 Way Pointed Strainer   | 39                 |
| CR-T150300MRF | 3.0 M × 150 mm                   | 10' × 6"      | 4 Way Pointed Strainer   | 39                 |
| CR-T180240MRF | 2.4 M × 180 mm                   | 8' × 7"       | 4 Way Pointed Strainer   | 30                 |
| CR-T180300MRF | 3.0 M × 180 mm                   | 10' × 7"      | 4 Way Pointed Strainer   | 30                 |
| CR-T200240MRF | 2.4 M × 200 mm                   | 8' × 8"       | 4 Way Pointed Strainer   | 25                 |
| CR-T200300MRF | 3.0 M × 200 mm                   | 10' × 8"      | 4 Way Pointed Strainer   | 25                 |
| CR-T200360MRF | 3.6 M × 200 mm                   | 12' × 8"      | 4 Way Pointed Strainer   | 25                 |
| CR-T100350MHU | 3.50 M × 100 mm                  | 11½' × 4"     | Half Round Rail          | 210                |
| CR-T100366MHU | 3.66 M × 100 mm                  | 12' × 4"      | Half Round Rail          | 210                |
| CR-T120366MHU | 3.66 M × 120 mm                  | 12' × 5"      | Half Round Rail          | 120                |
| CR-T120366MHU | 3.66 M × 120 mm                  | 12' × 5"      | Half Round Rail          | 120                |

N.B. Imperial sizes are nominal sizes only, to be used as a guide


ALEXANDRA DOCK  
NEWPORT  
SOUTH WALES  
NP20 2WA

TEL. +44 (0) 1633 235800  
SALES.BBH@SCANPOLE.COM  
WWW.SCANPOLE.COM



| 2. Cundy Peeled Rounds • Creosoted |                                  |               |                                      |                    |
|------------------------------------|----------------------------------|---------------|--------------------------------------|--------------------|
| Product code                       | Metric dimensions<br>Meters & mm | Imperial size | Description                          | Pieces<br>per Pack |
| CR-T050075165CPF                   | 1.65 M × 50/75 mm                | 5'6" × 2'3"   | 4 Way Pointed Post                   | 160                |
| CR-T075100165CPF                   | 1.65 M × 75/100 mm               | 5'6" × 3'4"   | 4 Way Pointed Post                   | 105                |
| CR-T075100180CPF                   | 1.8 M × 75/100 mm                | 6' × 3'4"     | 4 Way Pointed Post                   | 105                |
| CR-T075100210CPF                   | 2.1 M × 75/100 mm                | 7' × 3'4"     | 4 Way Pointed Post                   | 105                |
| CR-T075100240CPF                   | 2.4 M × 75/100 mm                | 8' × 3'4"     | 4 Way Pointed Post/Strut             | 105                |
| CR-T075100270CPF                   | 2.7 M × 75/100 mm                | 9' × 3'4"     | 4 Way Pointed Post/Strut             | 105                |
| CR-T075100300CPF                   | 3.0 M × 75/100 mm                | 10' × 3'4"    | 4 Way Pointed Post                   | 105                |
| CR-T100125165CPF                   | 1.65 M × 100/125 mm              | 5'6" × 4'5"   | 4 Way Pointed Post                   | 72                 |
| CR-T100125180CPF                   | 1.8 M × 100/125 mm               | 6' × 4'5"     | 4 Way Pointed Post                   | 72                 |
| CR-T100125210CPF                   | 2.1 M × 100/125 mm               | 7' × 4'5"     | 4 Way Pointed Post                   | 72                 |
| CR-T100125240CPF                   | 2.4 M × 100/125 mm               | 8' × 4'5"     | 4 Way Pointed Post                   | 72                 |
| CR-T100125270CPF                   | 2.7 M × 100/125 mm               | 9' × 4'5"     | 4 Way Pointed Post                   | 72                 |
| CR-T125150210CPF                   | 2.1 M × 125/150 mm               | 7' × 5'6"     | 4 Way Pointed Strainer               | 49                 |
| CR-T125150240CPF                   | 2.4 M × 125/150 mm               | 8' × 5'6"     | 4 Way Pointed Strainer               | 49                 |
| CR-T125150270CPF                   | 2.7 M × 125/150 mm               | 9' × 5'6"     | 4 Way Pointed Strainer               | 49                 |
| CR-T150175210CPF                   | 2.1 M × 150/175 mm               | 7' × 6'7"     | 4 Way Pointed Strainer               | 36                 |
| CR-T150175240CPF                   | 2.4 M × 150/175 mm               | 8' × 6'7"     | 4 Way Pointed Strainer               | 36                 |
| CR-T150175270CPF                   | 2.7 M × 150/175 mm               | 9' × 6'7"     | 4 Way Pointed Strainer               | 36                 |
| CR-T150175300CPF                   | 3.0 M × 150/175 mm               | 10' × 6'7"    | 4 Way Pointed Strainer               | 36                 |
| CR-T175200210CPF                   | 2.1 M × 175/200 mm               | 7' × 7'8"     | 4 Way Pointed Strainer               | 25                 |
| CR-T175200240CPF                   | 2.4 M × 175/200 mm               | 8' × 7'8"     | 4 Way Pointed Strainer               | 25                 |
| CR-T175200270CPF                   | 2.7 M × 175/200 mm               | 9' × 7'8"     | 4 Way Pointed Strainer               | 25                 |
| CR-T175200300CPF                   | 3.0 M × 175/200 mm               | 10' × 7'8"    | 4 Way Pointed Strainer               | 25                 |
| CR-T200225240CPF                   | 2.4 M × 200/225 mm               | 8' × 8'9"     | 4 Way Pointed Strainer/<br>Gate Post | 16                 |

N.B. Imperial sizes are nominal sizes only, to be used as a guide




| 3. Sawn Timber Posts • Creosoted |                                  |               |                    |                    |
|----------------------------------|----------------------------------|---------------|--------------------|--------------------|
| Product code                     | Metric dimensions<br>Meters & mm | Imperial size | Description        | Pieces<br>per Pack |
| CR-T125075180STF                 | 1.8 M × 125 × 75 mm              | 6' × 3" × 3"  | 4 Way Pointed Post | 88                 |
| CR-T150075180STF                 | 1.8 M × 150 × 75 mm              | 6' × 6" × 3"  | 4 Way Pointed Post | 77                 |
| CR-T125075210STF                 | 2.1 M × 125 × 75 mm              | 7' × 5" × 3"  | 4 Way Pointed Post | 88                 |
| CR-T150075210STF                 | 2.1 M × 150 × 75 mm              | 7' × 6" × 3"  | 4 Way Pointed Post | 77                 |
| CR-T125100270STF                 | 2.7 M × 125 × 100 mm             | 9' × 5" × 4"  | 4 Way Pointed Post | 72                 |
| CR-T125100300STF                 | 3.0 M × 125 × 100 mm             | 10' × 5" × 4" | 4 Way Pointed Post | 72                 |
| CR-T125075180STF                 | 1.8 M × 125 × 75 mm              | 6' × 5" × 3"  | Unpointed          | 88                 |
| CR-T125075210STF                 | 2.1 M × 125 × 75 mm              | 7' × 5" × 3"  | Unpointed          | 88                 |
| CR-T150075180STF                 | 1.8 M × 150 × 75 mm              | 6' × 6" × 3"  | Unpointed          | 77                 |
| CR-T150075210STF                 | 2.1 M × 150 × 75 mm              | 7' × 6" × 3"  | Unpointed          | 77                 |
| CR-T100100240STF                 | 2.4 M × 100 × 100 mm             | 8' × 4" × 4"  | Unpointed          | 99                 |

N.B. Imperial sizes are nominal sizes only, to be used as a guide

ALEXANDRA DOCK  
NEWPORT  
SOUTH WALES  
NP20 2WA

TEL. +44 (0) 1633 235800  
SALES.BBH@SCANPOLE.COM  
WWW.SCANPOLE.COM




| 4. Pyramid Top Gate Posts • Sawn Timber • Creosoted |                                  |               |                       |                    |
|---|----------------------------------|---------------|-----------------------|--------------------|
| Product code  | Metric dimensions<br>Meters & mm | Imperial size | Description           | Pieces<br>per Pack |
| CR-T150150240STP                                    | 2.4 M × 150 × 150 mm             | 8' × 6" × 6"  | Gate Post Pyramid Top | 42                 |
| CR-T150150300STP                                    | 3.0 M × 150 × 150 mm             | 10' × 6" × 6" | Gate Post Pyramid Top | 42                 |
| CR-T175175210STP                                    | 2.1 M × 175 × 175 mm             | 7' × 7" × 7"  | Gate Post Pyramid Top | 36                 |
| CR-T175175240STP                                    | 2.4 M × 175 × 175 mm             | 8' × 7" × 7"  | Gate Post Pyramid Top | 36                 |
| CR-T200200240STP                                    | 2.4 M × 200 × 200 mm             | 8' × 8" × 8"  | Gate Post Pyramid Top | 25                 |

N.B. Imperial sizes are nominal sizes only, to be used as a guide



| 5. Rails • Sawn Timber • Creosoted |                                  |                |              |                    |
|------------------------------------|----------------------------------|----------------|--------------|--------------------|
| Product code                       | Metric dimensions<br>Meters & mm | Imperial size  | Description  | Pieces<br>per Pack |
| CR-T088038360STU                   | 3.6 M × 88 × 38 mm               | 12' × 3½ × 1½" | Rail         | 240                |
| CR-T100038360STU                   | 3.6 M × 100 × 38 mm              | 12' × 4" × 1½" | Rail         | 220                |
| CR-T100047360STU                   | 3.6 M × 100 × 47 mm              | 12' × 4" × 2"  | Rail         | 176                |
| CR-T100047480STU                   | 4.8 M × 100 × 47 mm              | 16' × 4" × 2"  | Rail         | 176                |
| CR-T150038360STU                   | 3.6 M × 150 × 38 mm              | 12' × 6" × 2"  | Gravel Board | 210                |
| CR-T150038540STU                   | 5.4 M × 150 × 38 mm              | 18' × 6" × 1½" | Top Rail     | 154                |

N.B. Imperial sizes are nominal sizes only, to be used as a guide



| 6. Five Bar Field Gate • Creosoted |                                  |          |                                  |                    |
|------------------------------------|----------------------------------|----------|----------------------------------|--------------------|
| Product code                       | Metric dimensions<br>Meters & mm |          | Description                      | Pieces<br>per Pack |
| CR-G119457U5B                      | 4.57 M                           | 15' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119427U5B                      | 4.27 M                           | 14' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119396U5B                      | 3.96 M                           | 13' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119366U5B                      | 3.66 M                           | 12' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119335U5B                      | 3.35 M                           | 11' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119305U5B                      | 3.05 M                           | 10' Gate | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119274U5B                      | 2.74 M                           | 9' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119244U5B                      | 2.44 M                           | 8' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119213U5B                      | 2.13 M                           | 7' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119183U5B                      | 1.83 M                           | 6' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119152U5B                      | 1.52 M                           | 5' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119122U5B                      | 1.22 M                           | 4' Gate  | 5 Bar Gate with solid bottom bar | 5                  |
| CR-G119091U5B                      | 0.91 M                           | 3' Gate  | 5 Bar Gate with solid bottom bar | 5                  |

N.B. Imperial sizes are nominal sizes only, to be used as a guide

More information on fencing products: [sales.bbh@scanpole.com](mailto:sales.bbh@scanpole.com)  
Find a stockist closest to you: [www.scanpole.com/fencing/our-stockists/](http://www.scanpole.com/fencing/our-stockists/)

ALEXANDRA DOCK  
NEWPORT  
SOUTH WALES  
NP20 2WA

TEL. +44 (0) 1633 235800  
SALES.BBH@SCANPOLE.COM  
WWW.SCANPOLE.COM